# KGN Series Control Stations

# IP40 Enclosed Steel Control Stations For ø30 mm TWN/TWND Series Switches/Pilot Lights Various Control Stations are Available

Various control stations are available with most widely used combinations of switches/pilot lights (contact configurations, voltage, button colors, and nameplates).



### **Specifications**

Degree of Protection	IP40 (IEC60529)		
Material (Enclosure)	Carbon steel plate (t=1.0mm)		
Coating Color (Melamine coating)	Yellow semi-gloss (Munsell 5Y7/1)		
Rated Insulation Voltage	600V (Buzzer: 250V)		
Insulation Resistance	5 MΩ minimum		
Dielectric Strength (Note 1)	Between live and dead parts: 2500V AC, 1 minute		
Standard Operating Conditions (Note 2)	Ambient temperature: -25 to +50°C (no freezing) Relative humidity: 45 to 85% (no condensation)		
Style	Wall mount (1 to 5 holes)		
Cable Lead-in (Wall Mount)	Double knockouts On top: ø22 and ø27 mm On bottom: ø16 and ø20 mm		
Applicable Switches/ Pilot Lights	IDEC ø30 mm TWN/TWND series		

Note 1: Buzzer: 2000V AC, 1 minute Note 2: Buzzer: -10 to +40°C

## **Contact Ratings (Contact Block)**

	Rated Insulation Voltage	600V
Contact Block	Rated Thermal Current	10A
	Contact Ratings by Utilization Category IEC60947-5-1	AC-15 (A600) DC-13

#### Operational Voltage and Current by Utilization Category

•				•		• •		
Оре	Operational Voltage		24V	48V	50V	110V	220V	440V
± t	(20/60Hz)	AC-12 Control of resistive loads and solid state loads	10A	_	10A	10A	6A	2 <b>A</b>
Operational Current	AC (50	AC-15 Control of electromagnetic loads (>72VA)	10A	_	7A	5A	3 <b>A</b>	1A
Operatio	DC	DC-12 Control of resistive loads and solid state loads	10A	5A	_	2.2A	1.1A	_
		DC-13 Control of electromagnets	5A	2A	_	1.1A	0.6A	

### Common

Minimum applicable load (reference value) = 3V AC/DC, 5 mA (the applicable range is subject to change according to the operating conditions)

### Rubber Bushing (Supplied) Color: Black

Enclosure	5	Applicable		
Style	Part No.	Knockout Hole		
1 or 2 holes	GB-2	ø30 mm	ø16 mm	ø20 or ø22 mm
3 or 4 holes	GB-3	ø38 mm	ø20 mm	ø27 mm

#### **Switches/Pilot Lights Mounting Holes**

The holes for mounting switches/pilot lights are 30.5 mm in diameter with an anti-rotation notch. Mounting centers are 50 mm.

#### **Double Knockouts**

The top and bottom surfaces have double knockouts.

On top: ø22 and ø27 mm double knockouts

On bottom: ø16 and ø20 mm double knockouts

One rubber bushing is supplied to protect lead-in wires from damage on the wire surface; 1- and 2-hole enclosures are supplied with a bushing to fit ø20 and ø22 mm holes, and 3- and 5-hole enclosures with a bushing to fit a ø27 mm hole.



## Control Stations with Switches/Pilot Lights

The control stations are available with a selected combination of switches/pilot lights as listed below. For the dimensions and mounting centers, see the figures on page 26.

Switch/Pilot Light	Part No.	Specifications
	ABN110 *	Flush, 1NO
	ABN101 *	Flush, 1NC
	ABN111 *	Flush, 1NO-1NC
Pushbutton	ABN311R	ø40 mushroom, 1NO-1NC
(PB)	ABBN1110 **	Flush, double beam latching, 1NO
	ABBN1111 **	Flush, double beam latching, 1NO-1NC
Pilot Light	APN116DN *	Dome, 100/110V AC
(LED)	APN126DN *	Dome, 200/220V AC
Calastas Cuitab	ASN211N	Knob, 2-position, 1NO-1NC
Selector Switch	ASN320N	Knob, 3-position, 2NO
9	ASN2K11N-N024401	Key, 2-position, 1NO-1NC
Buzzer	AZ11N	110V AC
BZ ®Z	AZ12N	220V AC

Note: Specify a button or lens color code in place of \*: Pushbutton: B (black), G (green) Pilot Light: G (green), R (red)

## **Control Stations**

Package Quantity: 1

Co	ntrol Station	Mounted Switch/Pilot Light			
Style	Part No.	Symbol	Part No.	NA Nameplate Legend	
	KGN1101NY *	$^{\odot}$	ABN110 *	ON	
	KGN1102NY	PB	ABN311R	OFF	
e e	KGN1103NY	<b>P</b>	APN116DNR	Without nameplate	
nt 1 h	KGN1104NY	<b>P</b>	APN126DNR	Without nameplate	
Wall Mount 1 hole	KGN1105NY	<b>SS</b>	ASN211N	HAND-AUTO	
Wal	KGN1106NY	(88)	ASN320N	HAND-OFF-AUTO	
	KGN1107NY	<b>SS</b>	ASN2K11N-N024401	OFF-ON	
	KGN1108NY	(BZ)	AZ11N	Without nameplate	
	KGN2101NY *	(PB)	ABN110 * ABN101R	ON OFF	
	KGN2102NY *	®®	ABN111 * ABN111R	ON OFF	
holes	KGN2103NY		APN116DNR APN116DNG	Without nameplate	
Wall Mount 2 holes	KGN2104NY		APN126DNR APN126DNG	Without nameplate	
Wall	KGN2105NY *	P B	APN116DNR ABN111 *	Without nameplate STOP	
	KGN2106NY *	CB	APN126DNR ABN111 *	Without nameplate STOP	
	KGN2107NY	P) (S)	APN116DNR ASN211N	Without nameplate HAND-AUTO	

Specify a button color code in place of \* : B (black), G (green)

Control Station		Mounted Switch/Pilot Light			
Style	Part No.	Symbol	Part No.	NA Nameplate Legend	
	KGN2108NY	P 88	APN126DNR ASN211N	Without nameplate HAND-AUTO	
	KGN2109NY	P. (SS)	APN116DNR ASN2K11N-N024401	Without nameplate OFF-ON	
S	KGN2110NY	(P.) (SS)	APN126DNR ASN2K11N-N024401	Without nameplate OFF-ON	
Wall Mount 2 holes	KGN2113NY *	PB PB	ABN110 * ABN311R	ON OFF	
Vall Mour	KGN2116NY *	BZ PB	AZ11N ABN111 *	Without nameplate	
_	KGN2117NY *	BZ PB	AZ12N ABN111 *	Without nameplate	
	KGN2118NY	(BZ) (PL)	AZ11N APN116DNR	Without nameplate	
	KGN2119NY	BZ PL	AZ12N APN126DNR	Without nameplate	
səlc	KGN3102NY *	<del>L</del> BB	APN116DNR ABN110 * ABN101R	Without nameplate ON OFF	
Wall Mount 3 holes	KGN3103NY *	(L) (B) (B)	APN126DNR ABN110 * ABN101R	Without nameplate ON OFF	
Wal	KGN3104NY *	(B) (B) (S)	ABN111 * ABN111R ASN211N	ON OFF HAND-AUTO	
rt 4 holes	KGN4101NY *	<u>E</u>	APN126DNR APN126DNG ABN111 * ABN111R	Without nameplate Without nameplate ON OFF	
Wall Mount 4 holes	KGN4102NY *	<b>LEE</b>	APN126DNR ABN111 * ABN111R ASN211N	Without nameplate ON OFF HAND-AUTO	

All dimensions in mm.

## **Empty Enclosures**

#### Package Quantity: 1

Lilipty Lilcios		Unit Mounting	Switch/Pilot Light
Style	Part No.	Hole	Mounting Centers
1 hole (approx. 0.4 kg)	KGN111Y	With	
	KGN110Y	Without	
2 holes	KGN211Y	With	09
(approx. 0.5 kg)	KGN210Y	Without	
3 holes	KGN311Y	With	099
(approx. 0.6 kg)	KGN310Y	Without	
4 holes	KGN411Y	With	200
(approx. 0.7 kg)	KGN410Y	Without	
5 holes	KGN511Y	With	\$50
(approx. 0.8 kg)	KGN510Y	Without	
Switch/Pilot Light	Effective Depth	inside the Enclosure	
030.5 31.7 All dimension in n	um	Front	70 1


## **Accessories**

#### Package Quantity: 1

Name	Part No.	Applicable Enclosure	Applicable Knockout Hole
		KGN111Y	
	GB-2	KGN110Y	ø20 or ø22 mm
	GD-2	KGN211Y	020 01 022 111111
B. Idea B. Idea		KGN210Y	
	GB-3	KGN311Y	
Rubber Bushing		KGN310Y	
		KGN411Y	a07 mm
		KGN410Y	ø27 mm
		KGN511Y	
		KGN510Y	

### **Dimensions**

#### KGN Control Station (Wall Mount)




	1 hole	2 holes	3 holes	4 holes	5 holes
	111Y	212Y	313Y	414Y	510Y
L	100	150	200	250	300
L1	50	100	150	200	250
L2	75	125	175	225	275
L3	80	130	180	230	280
Weight (Approx.)	0.4 kg	0.5 kg	0.6 kg	0.7 kg	0.8 kg

### Instructions

#### **Precautions for Opening the Knockout Hole**

- 1. The metal piece for the inner hole of ø22 or ø16 mm knockout has two linked parts to the outer hole. When breaking the knockout to make an inner hole, strike the inner metal piece at the cut parts (the hatched parts shown as point A at right) using a screwdriver tip or similar tool.
- When opening a larger hole of ø27 or ø20 mm, first make a smaller hole as described above. Then break the knockout for the larger hole using pliers.



## **Ordering Information**

When ordering control stations with switches/pilot lights: Specify the Part No. of the control station.

When ordering enclosures without switches/pilot lights:

Specify the following items.

- 1. Part No. of the enclosure
- 2. Part No. and specifications of the switche/pilot light to be mounted (lens color, button color, etc.)
- 3. Nameplate
- 4. Other specifications

#### **Ordering Example**



Part No. of Enclosure		KGN311Y
O 'I . I . / D'I . I . I . I . I . I	1	APN126DNR
Switch/Pilot Light and Nameplate	2	ABN210B, with NA-1
	(3)	ABN201R with NA-2

Note: Any ø30 mm TWN/TWND series switch/pilot lights are selectable. However, take the effective depth inside the enclosure into consideration.

EP5124A KGN July 2022

## **Ordering Terms and Conditions**

Thank you for using IDEC Products.

By purchasing products listed in our catalogs, datasheets, and the like (hereinafter referred to as "Catalogs") you agree to be bound by these terms and conditions. Please read and agree to the terms and conditions before placing your order.

#### 1. Notes on contents of Catalogs

- (1) Rated values, performance values, and specification values of IDEC products listed in this Catalog are values acquired under respective conditions in independent testing, and do not guarantee values gained in combined conditions.
  - Also, durability varies depending on the usage environment and usage conditions.
- (2) Reference data and reference values listed in Catalogs are for reference purposes only, and do not guarantee that the product will always operate appropriately in that range.
- (3) The specifications / appearance and accessories of IDEC products listed in Catalogs are subject to change or termination of sales without notice, for improvement or other reasons.
- (4) The content of Catalogs is subject to change without notice.

#### 2. Note on applications

- If using IDEC products in combination with other products, confirm the applicable laws / regulations and standards.
  - Also, confirm that IDEC products are compatible with your systems, machines, devices, and the like by using under the actual conditions. IDEC shall bear no liability whatsoever regarding the compatibility with IDEC products.
- (2) The usage examples and application examples listed in Catalogs are for reference purposes only. Therefore, when introducing a product, confirm the performance and safety of the instruments, devices, and the like before use. Furthermore, regarding these examples, IDEC does not grant license to use IDEC products to you, and IDEC offers no warranties regarding the ownership of intellectual property rights or non-infringement upon the intellectual property rights of third parties.
- (3) When using IDEC products, be cautious when implementing the following.
  - i. Use of IDEC products with sufficient allowance for rating and performance
  - Safety design, including redundant design and malfunction prevention design that prevents other danger and damage even in the event that an IDEC product fails
  - Wiring and installation that ensures the IDEC product used in your system, machine, device, or the like can perform and function according to its specifications
- (4) Continuing to use an IDEC product even after the performance has deteriorated can result in abnormal heat, smoke, fires, and the like due to insulation deterioration or the like. Perform periodic maintenance for IDEC products and the systems, machines, devices, and the like in which they are used.
- (5) IDEC products are developed and manufactured as general-purpose products for general industrial products. They are not intended for use in the following applications, and in the event that you use an IDEC product for these applications, unless otherwise agreed upon between you and IDEC, IDEC shall provide no guarantees whatsoever regarding IDEC products.
  - i. Use in applications that require a high degree of safety, including nuclear power control equipment, transportation equipment (railroads / airplanes / ships / vehicles / vehicle instruments, etc.), equipment for use in outer space, elevating equipment, medical instruments, safety devices, or any other equipment, instruments, or the like that could endanger life or human health
  - ii. Use in applications that require a high degree of reliability, such as provision systems for gas / waterworks / electricity, etc., systems that operate continuously for 24 hours, and settlement systems
  - iiii. Use in applications where the product may be handled or used deviating from the specifications or conditions / environment listed in the Catalogs, such as equipment used outdoors or applications in environments subject to chemical pollution or electromagnetic interference If you would like to use IDEC products in the above applications, be sure to consult with an IDEC sales representative.

#### 3. Inspections

We ask that you implement inspections for IDEC products you purchase without delay, as well as thoroughly keep in mind management/maintenance regarding handling of the product before and during the inspection.

#### 4. Warranty

(1) Warranty period

The warranty period for IDEC products shall be one (1) year after purchase or delivery to the specified location. However, this shall not apply in cases where there is a different specification in the Catalogs or there is another agreement in place between you and IDEC.

(2) Warranty scope

Should a failure occur in an IDEC product during the above warranty period for reasons attributable to IDEC, then IDEC shall replace or repair that product, free of charge, at the purchase location / delivery location of the product, or an IDEC service base. However, failures caused by the following reasons shall be deemed outside the scope of this warranty.

- i. The product was handled or used deviating from the conditions / environment listed in the Catalogs
- ii. The failure was caused by reasons other than an IDEC product
- iii. Modification or repair was performed by a party other than IDEC
- iv. The failure was caused by a software program of a party other than IDEC
- v. The product was used outside of its original purpose
- Replacement of maintenance parts, installation of accessories, or the like was not performed properly in accordance with the user's manual and Catalogs
- vii. The failure could not have been predicted with the scientific and technical standards at the time when the product was shipped from IDEC
- viii. The failure was due to other causes not attributable to IDEC (including cases of force majeure such as natural disasters and other disasters)
  Furthermore, the warranty described here refers to a warranty on the IDEC product as a unit, and damages induced by the failure of an IDEC product are excluded from this warranty.

#### 5. Limitation of liability

The warranty listed in this Agreement is the full and complete warranty for IDEC products, and IDEC shall bear no liability whatsoever regarding special damages, indirect damages, incidental damages, or passive damages that occurred due to an IDEC product.

#### 6. Service scope

The prices of IDEC products do not include the cost of services, such as dispatching technicians. Therefore, separate fees are required in the following cases.

- (1) Instructions for installation / adjustment and accompaniment at test operation (including creating application software and testing operation, etc.)
- (2) Maintenance inspections, adjustments, and repairs
- (3) Technical instructions and technical training
- (4) Product tests or inspections specified by you

The above content assumes transactions and usage within your region. Please consult with an IDEC sales representative regarding transactions and usage outside of your region. Also, IDEC provides no guarantees whatsoever regarding IDEC products sold outside your region.

# **IDEC CORPORATION**

Head Office 6-64, Nishi-Miyahara-2-Chome, Yodogawa-ku, Osaka 532-0004, Japan

www.idec.com

USA IDE EMEA AP

IDEC Corporation APEM SAS Singapore Thailand India

IDEC Izumi Asia Pte. Ltd.
IDEC Asia (Thailand) Co., Ltd.
IDEC Controls India Private Ltd.

China IDEC (Shanghai) Corporation IDEC Izumi (H.K.) Co., Ltd.

Taiwan IDEC Taiwan Corporation

Japan IDEC Corporation

